

Best Solution of Battery

SPF12V200-BL BLUETOOTH BATTERY ••••

ELECTRICAL PERFORMANCE			
Nominal Voltage	12.8 V		
Nominal Capacity	200Ah		
Capacity @ 40A	300 min		
Energy	2560Wh		
Resistance	≤8mΩ @ 50% SOC		
Self Discharge	<3% / Month		
Cells	Cylindrical		



CHARGE PERFORMANCE		
Recommended Charge Current	40A	
Maximum Charge Current	100A	
Recommended Charge Voltage	14.6V	
BMS Charge Cut-Off Voltage	<15.6V (3.9V/Cell)	
Reconnect Voltage	>14.0V(3.5V/Cell)	
Balancing Voltage	<14.4V (3.6V/Cell)	
Maximum Batteries in Series	4	


DISCHARGE PERFORMANCE			
Maximum Continuous Discharge Current	150A		
Peak Discharge Current	300A (3s)		
BMS Discharge Cut-Off Current	450A ± 20A (31 ms)		
Recommended Low Voltage Disconnect	11.0V (2.75V/Cell)		
BMS Discharge Cut-Off Voltage	>8.0V (3s) (2.0V/Cell)		
Reconnect Voltage	>10.8V(2.7V/Cell)		
Short Circuit Protection	250 ~ 500 μs		


MECHANICAL PERFORMANCE			
VZVV	520x 268 x 228mm 20.5 x 10.6x9.0"		
Approx. Weight	53.9 lbs (24.5 kg)		
Terminal Type	T11		
Terminal Torque	80 - 100 in-lbs (9 - 11 N-m)		
Case Material	ABS		
Enclosure Protection	IP65		


TEMPERATURE PERFORMANCE		
Discharge Temperature	-4 ~ 140°F (-20 ~ 60 °C)	
Charge Temperature	32 ~ 113 °F (0 ~ 45 °C)	
Storage Temperature	23 ~ 95 °F (-5 ~ 35 °C)	
BMS High Temperature Cut-Off	167 °F (75 °C)	
Reconnect Temperature	149 °F (65 °C)	

COMPLIANCE	
Certification	CE (battery) UN38.3 (battery) UL1642 & IEC62133 (cells)
Shipping Classification	UN 3480, CLASS 9

OUTLINE DIMENSION









L mm(")	W mm(")	H mm(")	HT mm(")
520 (20.5)	268 (10.6)	221(8.7)	228 (9.0)



Best Solution of Battery

PERFORMANCE CHARACTERISTICS





FEATURES & BENEFITS

High cycle life

of ownership.

against abuse.

Better storage

Quickly recharge

Extreme heat tolerance


BMS

 \bigcirc


Longer service life

Built in circuit protection

(LSD) rate and no risk of sulphation



Discharge characteristic at different rate at room temperature



Lithium Iron Phosphate can be used in most applications that use Lead Acid, GEL or AGM type batteries.

Suitable applications include:

- Marine
- Caravan
- Golf car
- Buggies
- Solar Storage
- Remote Monitoring
- · Switching applications and more

CAUTIONS

- Do NOT short circuit, reverse polarity, crush or disassemble.
- Do NOT heat or incinerate.
- Do NOT immerse in any liquid.
- Store at 30~50% SOC. Recharging every 3 months is recommended. The storage area should be clean, cool, dry and ventilated

Light weight

Lithium batteries provide more Wh/Kg while also being up to 1/3 the weight of its SLA equivalent.

Suitable for use in a wider range of applications where

ambient temperature is unusually high: up to +60°C.

>2000 cycles @80% DoD for effectively lower total cost

Low maintenance batteries with stable chemistry.

Battery Management System (BMS) is incorporated

up to 6 months thanks to its extremely low self discharge

Save time and increase productivity with less down time

thanks to superior charge/discharge efficiency.

Performance may vary depending on application. All specifications are subject to change without prior notice to the user. This data is for evaluation purposes only. No guarantee is intended or implied by this data.





